


Nottingham







wengè



almond

NOTTINGHAM

Nottingham

Floor tile
Pavimento



Milk



NG100 Nottingham Milk / 15x61 / 6"x24" 60

Stone



NG500 Nottingham Stone / 15x61 / 6"x24" 60

Almond



NG200 Nottingham Almond / 15x61 / 6"x24" 60

Walnut



NG300 Nottingham Walnut / 15x61 / 6"x24" 60

Taupe



NG400 Nottingham Taupe / 15x61 / 6"x24" 60

Wengè



NG600 Nottingham Wengè / 15x61 / 6"x24" 60

Skirting 8x45 / 3¹/₈"x18" **8**
Battiscopa pc.box 30 / kg.box 14,61

Vendita solo a scatole complete. To be sold as full box only.
Vendable uniquement en boîtes entières. Abnahme nur volle pakete.



NG105 Batt. Milk



NG305 Batt. Walnut



NG505 Batt. Stone



NG405 Batt. Taupe



NG205 Batt. Almond



NG605 Batt. Wengè

V2 Variations
Variabilità cromatica

Frost resistance
Resistenza gelo

Stain resistance
Resistenza macchie

Abrasion resistance
Resistenza abrasione

PEI 4 **R10**

Pavimenti
Floor tiles - Sols - Bodenfliesen

Gres Porcellanato
Porcelain stoneware - Gres cerame - Feinsteinzeug


Spessore 9 mm
Thickness - Epaisseur - Starke

R10


15x61 - 6"x24"

Special pieces


Pezzi speciali
15x61 / 6"x24"




Elle costa retta **63**



Angolare DX e SX **116**



Gradino costa retta **94**



Gradino costa retta lato corto **78**

TECH INFO Size / Formato	Thickness	Skid resistance
Cm	Spessore mm	Resistenza scivolamento
15x61	9	R10

Size Formato	Box			Pallet		
Size / Formato	Pz	Mq	Kg/Sc	Box	Mq	Kg
15x61	13	1,20	21	50	60	1050

Packaging / Imballi / emballages / verpackung

Technical characteristics / Caratteristiche tecniche
Caracteristiques technique / Technische eigenschappen.